

**Section 1: Identification of the Product and Company Identification**

**1.1. Product Identifier**

**Product Name:** ClassicBond Two-Part Pourable Sealer – Part A  
**Product Code:** 302084

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses** Waterproof sealant. Product for industrial use only  
**Uses advised against** No additional information available

**1.3. Details of the supplier of the safety data sheet**

**Suppliers:** Flex-R Ltd.  
Sandwood House  
Hillbottom Road  
Sands Industrial Estate  
High Wycombe  
Buckinghamshire  
HP12 4HJ  
Tel: 01494 448792 Fax: 01494 858433 Email: [eng@ClassicBond.co.uk](mailto:eng@ClassicBond.co.uk)

**1.4. Emergency telephone number**

**Emergency telephone** 01865 407333 – English speaking (24 hours, 7 days)

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification**

**Physical hazards** No additional information available  
**Health hazards** Carc. 1B H350 Repr. 2 H361d STOT RE 1 H372  
**Environmental hazards** No additional information available  
**Human Health** No additional information available  
**Physicochemical** No additional information available

**2.2. Label elements**

**Pictogram**



<b>Signal word</b>	Danger
<b>Hazard statements</b>	H350 - May cause cancer H361d - Suspected of damaging the unborn child H372 - Causes damage to organs (adrenal glands, bone marrow, liver, kidneys, lymphoid system, stomach, thymus) through prolonged or repeated exposure (in contact with skin)
<b>Precautionary statements</b>	P201 - Obtain special instructions before use P260 - Do not breathe vapours P280 - Wear protective gloves/protective clothing/eye protection/face protection P308+P313 - IF exposed or concerned: Get medical advice/attention P405 - Store locked up P501 - Dispose of contents/container to an authorised waste collection point
<b>Contains</b>	Distillates (petroleum), hydrotreated heavy naphthenic

### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

<b>DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC</b>	<b>20 - 50%</b>	
CAS number: 64742-52-5	EC number: 265-155-0	REACH registration number:
	EC Index number: 649-465-00-7	
<b>Classification</b> Carc. 1B, H350 Repr. 2, H361d STOT RE 1, H372 Asp. Tox. 1, H304		
<b>CALCIUM CARBONATE</b>	<b>10 - 30%</b>	
CAS number: 1317-65-3	EC number: 215-279-6	REACH registration number:
<b>Classification</b> Not classified		
<b>1,1'-PHENYLIMINODIPROPAN-2-OL</b>	<b>3 - 10%</b>	
CAS number: 3077-13-2	EC number: 221-360-7	REACH registration number:
<b>Classification</b> Eye Irrit. 2, H319		

Revision Date: 28/02/2018

<b>CARBON BLACK</b>			<b>1 - 5%</b>
CAS number: 1333-86-4	EC number: 215-609-9	REACH registration number:	
<b>Classification</b>			
Not classified			

<b>SYNTHETIC CRYSTALLINE-FREE GEL</b>			<b>1 - 5%</b>
CAS number: 112926-00-8	REACH registration number:		
<b>Classification</b>			
Skin Irrit. 2, H315			

The Full Text for all Hazard Statements are Displayed in Section 16.

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

<b>General information</b>	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
<b>Inhalation</b>	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms develop, obtain medical attention.
<b>Ingestion</b>	Do NOT induce vomiting. Rinse mouth. Give 100 - 200 ml of water to drink. Do not give an unconscious person anything to drink. Obtain immediate medical attention.
<b>Skin contact</b>	Immediately remove contaminated clothing or footwear. Rinse skin with plenty of water or shower. If skin irritation occurs: Get medical advice/attention.
<b>Eye contact</b>	Rinse cautiously with water for several minutes. Ensure that folded skin of eyelids is thoroughly washed with water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

##### 4.2. Most important symptoms and effects, both acute and delayed

<b>Inhalation</b>	Inhalation of vapours may cause respiratory irritation.
<b>Ingestion</b>	Ingestion may cause irritation of the gastrointestinal tract.
<b>Skin contact</b>	May cause slight irritation.
<b>Eye contact</b>	May cause slight irritation.

##### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Treat symptomatically.
-----------------------------	------------------------

## **SECTION 5: Firefighting measures**

### **5.1. Extinguishing media**

<b>Suitable extinguishing media</b>	Dry chemical. Foam. Carbon dioxide.
<b>Unsuitable extinguishing media</b>	Do not use water jet. Water may be ineffective.

### **5.2. Special hazards arising from the substance or mixture**

<b>Fire hazard</b>	Not flammable. Product can burn if exposed to open flames or high temperatures. Vapours are heavier than air and may travel considerable distance to an ignition source and flash back to source of vapours.
<b>Explosion hazard</b>	Containers may rupture when heated.
<b>Hazardous decomposition products in case of fire</b>	Fire may produce irritating, corrosive and/or toxic gases. Butadiene. calcium oxides. Carbon monoxide. Carbon dioxide.

### **5.3. Advice for firefighters**

<b>Firefighting instructions</b>	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Do not allow run-off from firefighting to enter drains or water courses.
<b>Special protective equipment for firefighters</b>	Fire fighters should wear complete protective clothing including self-contained breathing apparatus.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

#### **6.1.1. For non-emergency personnel**

<b>Emergency procedures</b>	Evacuate unnecessary personnel. Ensure adequate ventilation.
-----------------------------	--

#### **6.1.2. For emergency responders**

<b>Protective equipment</b>	Wear suitable protective clothing and eye or face protection.
<b>Emergency procedures</b>	Ensure adequate ventilation. Avoid inhalation of vapours. Avoid contact with skin and eyes.

### **6.2. Environmental precautions**

<b>Environmental precautions</b>	Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if large amounts of the product enters sewers or public waters.
----------------------------------	---

### **6.3. Methods and material for containment and cleaning up**

<b>Methods for cleaning up</b>	Absorb with earth, sand or other non-combustible material, allow to cure, and transfer to containers for later disposal. Wash spill area with soapy water. Washings must be prevented from entering surface water drains.
--------------------------------	---

#### 6.4. Reference to other sections

**Reference to other sections** SECTION 8: Exposure controls/personal protection. SECTION 13: Disposal considerations.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

**Precautions for safe handling** Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Provide adequate ventilation. Avoid inhalation of vapours. Avoid contact with skin, eyes and clothing.

**Hygiene measures** Do not eat, drink or smoke when using this product. Handle in accordance with good industrial hygiene and safety practice. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions** Store locked up. Store in a well-ventilated place. Keep container tightly closed. Protect from freezing.

**Incompatible materials** Strong acids. Strong alkalis. Strong oxidizing agents.

**Storage temperature** 0 - 30 °C

#### 7.3. Specific end use(s)

**Specific end use(s)** Waterproof sealant. Product for industrial use only.

### **SECTION 8: Exposure Controls/personal protection**

#### 8.1. Control parameters

##### Occupational exposure limits

##### **CARBON BLACK (1333-86-4)**

WEL TWA (mg/m<sup>3</sup>) 3.5 mg/m<sup>3</sup>

WEL STEL (mg/m<sup>3</sup>) 7 mg/m<sup>3</sup>

##### **CALCIUM CARBONATE (1317-65-3)**

WEL TWA (mg/m<sup>3</sup>) 10 mg/m<sup>3</sup> inhalable dust. 4 mg/m<sup>3</sup> respirable dust

##### **SYNTHETIC CRYSTALLINE-FREE GEL (112926-00-8)**

WEL TWA (mg/m<sup>3</sup>) 6 mg/m<sup>3</sup> inhalable dust. 2.4 mg/m<sup>3</sup> respirable dust

#### 8.2. Exposure controls

Revision Date: 28/02/2018

<b>Appropriate engineering controls</b>	Provide adequate ventilation. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.
<b>Personal protective equipment</b>	Avoid all unnecessary exposure.
<b>Eye/face protection</b>	Chemical goggles or face shield. Standard EN 166 - Personal eye-protection.
<b>Hand protection</b>	Wear chemically resistant protective gloves. Standard EN 374 - Protective gloves against chemicals. Gloves should be removed and replaced if there are any signs of degradation or breakthrough.
<b>Other skin and body protection</b>	Long sleeved protective clothing.
<b>Respiratory protection</b>	Not required for normal conditions of use. In case of insufficient ventilation, wear suitable respiratory equipment.
<b>Environmental exposure controls</b>	Avoid release to the environment.
<b>Thermal hazard protection</b>	Wear heat-resistant gloves and clothing if the product is heated.
<b>Other information</b>	Do not eat, drink or smoke during use. Handle in accordance with good industrial hygiene and safety procedures.

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

<b>Physical state</b>	Liquid
<b>Appearance</b>	Viscous.
<b>Colour</b>	Black.
<b>Odour</b>	Slight. Aromatic.
Odour threshold	No data available
pH	No data available
Relative evaporation rate (butylacetate=1)	No data available
Melting point	No data available
Freezing point	No data available
Boiling point	> 260 °C
Flash point	254 °C
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Flammability (solid, gas)	Not applicable
Vapour pressure	< 0.001 mm Hg
Relative vapour density at 20 °C	No data available
Relative density	1.23 (Water = 1)

**Exclusive British Isles Distributors for Carlisle-SynTec and ClassicBond EPDM single ply roofing materials.**

Flex-R Ltd., Sandwood House, Hillbottom Road, Sands Industrial Estate, High Wycombe, Buckinghamshire, HP12 4HJ. Tel: +44 (0)1494 448792 Fax: +44 (0)1494 858433

Revision Date: 28/02/2018

Solubility	Insoluble in water.
Log Pow	No data available
Log Kow	No data available
Viscosity, kinematic	No data available
Viscosity, dynamic	250000 mPa·s
Explosive properties	Not explosive.
Oxidising properties	Not oxidising.
Explosive limits	No data available

## **9.2. Other information**

<b>VOC content</b>	< 15 g/l
--------------------	----------

## **SECTION 10: Stability and reactivity**

### **10.1. Reactivity**

<b>Reactivity</b>	Stable under normal conditions.
-------------------	---------------------------------

### **10.2. Chemical stability**

<b>Stability</b>	Stable under normal conditions.
------------------	---------------------------------

### **10.3. Possibility of hazardous reactions**

<b>Possibility of hazardous reactions</b>	None known
---	------------

### **10.4. Conditions to avoid**

<b>Conditions to avoid</b>	Extremely high or low temperatures.
----------------------------	-------------------------------------

### **10.5. Incompatible materials**

<b>Materials to avoid</b>	Strong oxidizing agents. Strong acids. Strong alkalis.
---------------------------	--

### **10.6. Hazardous decomposition products**

<b>Hazardous decomposition products</b>	Fire may produce irritating, corrosive and/or toxic gases. Butadiene. calcium oxides. Carbon monoxide. Carbon dioxide.
---	--

## **SECTION 11: Toxicological information**

### **11.1. Information on toxicological effects**

<b>Acute toxicity</b>	Not classified Based on available data, the classification criteria are not met
-----------------------	--

### **Toxicological information on ingredients.**

#### **1,1'-Phenyliminodipropan-2-ol (3077-13-2)**

**Exclusive British Isles Distributors for Carlisle-SynTec and ClassicBond EPDM single ply roofing materials.**

Flex-R Ltd., Sandwood House, Hillbottom Road, Sands Industrial Estate, High Wycombe, Buckinghamshire, HP12 4HJ. Tel: +44 (0)1494 448792 Fax: +44 (0)1494 858433

<b>LD50 oral rat</b>	3763 mg/kg
<b>LD50 dermal rabbit</b>	> 2000 mg/kg
<b>Skin corrosion/irritation</b>	Not classified Based on available data, the classification criteria are not met
<b>Serious eye damage/irritation</b>	Not classified Based on available data, the classification criteria are not met
<b>Respiratory or skin sensitisation</b>	Not classified Based on available data, the classification criteria are not met
<b>Germ cell mutagenicity</b>	Not classified Based on available data, the classification criteria are not met
<b>Carcinogenicity</b>	May cause cancer.
<b>Reproductive toxicity</b>	Suspected of damaging the unborn child.
<b>Specific target organ toxicity (single exposure)</b>	Not classified Based on available data, the classification criteria are not met
<b>Specific target organ toxicity (repeated exposure)</b>	Causes damage to organs (adrenal glands, bone marrow, liver, kidneys, lymphoid system, stomach, thymus) through prolonged or repeated exposure (in contact with skin).
<b>Aspiration hazard</b>	Not classified Based on available data, the classification criteria are not met
<b>Potential adverse human health effects and symptoms</b>	May cause slight irritation to eyes. May cause slight irritation to the skin. Ingestion may cause irritation of the gastrointestinal tract. Inhalation of vapours may cause respiratory irritation.

## SECTION 12: Ecological Information

### 12.1. Toxicity

**Ecology - water** Not classified.

### RESIDUAL OILS (PETROLEUM,) SOLVENT-REFINED (64742-01-4)

**LC50** > 5000 mg/l (96 Hours, Oncorhynchus mykiss (Rainbow trout))

**EC50** > 1000 mg/l (96 Hours, Daphnia magna)

### 12.2. Persistence and degradability

No additional information available

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

#### **ClassicBond Two-Part Pourable Sealer – Part A**

**Ecology - soil** Insoluble in water.



### **12.5. Results of PBT and vPvB assessment**

#### **ClassicBond Two-Part Pourable Sealer – Part A**

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

### **12.6. Other adverse effects**

**Other adverse effects**                      Avoid release to the environment

## **SECTION 13: Disposal considerations**

### **13.1. Waste treatment methods**

**Waste treatment methods**                      Dispose of this material and its container at hazardous or special waste collection point.

**Waste disposal recommendations**                      Allow product to cure before disposal. Dispose in a safe manner in accordance with local/national regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

**Additional information**                      Handle empty containers with care.

## **SECTION 14: Transport information**

### **14.1. UN number**

**UN No. (ADR)**                      Not regulated for transport

**UN-No. (IATA)**                      Not regulated for transport

**UN-No. (IMDG)**                      Not regulated for transport

### **14.2. UN proper shipping name**

Not applicable

### **14.3. Transport hazard class(es)**

Not applicable

### **14.4. Packing group**

Not applicable

### **14.5. Environmental hazards**

**Other information**                      No supplementary information available.

### **14.6. Special precautions for user**

**Special transport precautions**                      No special precautions required.

Revision Date: 28/02/2018

**14.6.1. Overland transport**

No additional information available

**14.6.2. Transport by sea**

No additional information available

**14.6.3. Air transport**

No additional information available

**14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code**

Not applicable

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**15.1.1. EU-Regulations**

**Authorisations and/or restrictions on use (Annex XVII):**

**ClassicBond Two-Part  
Pourable Sealer – Part A**

3.b. Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

**Contains no substance on the REACH candidate list**

**VOC content** < 15 g/l

**15.1.2. National regulations**

**National regulations** No additional information available

**15.2. Chemical safety assessment**

No chemical safety assessment has been carried out.

**SECTION 16: Other information**

<b>Issued by</b>	Technical
<b>Revision date</b>	28/02/2018
<b>Data sources</b>	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
<b>Hazard statements in full</b>	Asp. Tox. 1 Aspiration hazard, Category 1 Carc. 1B Carcinogenicity, Category 1B Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Repr. 2 Reproductive toxicity, Category 2 Skin Irrit. 2 Skin corrosion/irritation, Category 2 STOT RE 1 Specific target organ toxicity — Repeated exposure, Category 1

**Exclusive British Isles Distributors for Carlisle-SynTec and ClassicBond EPDM single ply roofing materials.**

Flex-R Ltd., Sandwood House, Hillbottom Road, Sands Industrial Estate, High Wycombe, Buckinghamshire, HP12 4HJ. Tel: +44 (0)1494 448792 Fax: +44 (0)1494 858433

10/11

Revision Date: 28/02/2018

- H304 May be fatal if swallowed and enters airways
- H315 Causes skin irritation
- H319 Causes serious eye irritation
- H350 May cause cancer
- H361d Suspected of damaging the unborn child
- H372 Causes damage to organs through prolonged or repeated exposure

NCEC SDS EU (REACH ANNEX II)

*The information contained herein is based upon data and information available to us, and reflects our best professional judgment. This product may be formulated in part with components purchased from other companies. In many instances, especially when proprietary or trade secret materials are used, CCWI Company must rely upon the hazard evaluation of such components submitted by that product's manufacturer or importer. No warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of such data or information. The results to be obtained from the use thereof, or that any such use does not infringe any patent, since the information contained herein may be applied under conditions of use beyond our control and with which we may be unfamiliar, we do not assume responsibility for the results of such application. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular use*