

**Section 1: Identification of the Product and Company Identification**

**1.1. Product Identifier**

**Product Name:** ClassicBond WBA Deck Adhesive Pail  
**Product Code:** 521006 / 521003 / 521002

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses** Adhesive  
**Uses advised against** No specific uses advised against are identified.

**1.3. Details of the supplier of the safety data sheet**

**Suppliers:** Flex-R  
Sandswood House  
Hillbottom Road  
Sands Industrial Estate  
High Wycombe  
Buckinghamshire  
HP12 4HJ  
Tel: 01494 448792 Fax: 01494 858433 Email: [enq@ClassicBond.co.uk](mailto:enq@ClassicBond.co.uk)

**1.4. Emergency telephone number**

**Emergency telephone** 01494 448792 (NOT 24HRS Monday-Thursday 08.30 – 17.30  
Friday 08.30 – 16.30)

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification (EC 1272/2008)**

**Physical hazards** Not Classified  
**Health hazards** Not Classified  
**Environmental hazards** Not Classified

**2.2. Label elements**

**Hazard statements** NC Not ClassifiedH315

**Supplemental label information** Treated article incorporates biocidal product <0.1%. active ingredient: tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione reaction mass of:5-chloro-2-methyl-4-iso-thiazolin-3-one and 2-methyl-2H-isothiazol-3-one.(3:1). May produce an allergic reaction

**Supplementary precautionary** P261 Avoid breathing vapour/ spray.

**Exclusive British Isles Distributors for Carlisle-SynTec and ClassicBond EPDM single ply roofing materials.**

Flex-R, Sandswood House, Hillbottom Road, Sands Industrial Estate, High Wycombe, Buckinghamshire, HP12 4HJ. Tel: +44 (0)1494 448792 Fax: +44 (0)1494 858433

Revision Date: 14/02/2018

**statements**

P272 Contaminated work clothing should not be allowed out of the workplace.  
P321 Specific treatment (see medical advice on this label).  
P362+P364 Take off contaminated clothing and wash it before reuse.

**2.3. Other hazards**

This product does not contain any substances classified as PBT or vPvB.

**SECTION 3: Composition/information on ingredients**

**3.2. Mixtures**

<b>AMMONIA ...%</b>		<b>0.2%</b>
CAS number: 1336-21-6	EC number: 215-647-6 M factor (Acute) = 1	REACH registration number: 01-2119982985-14-0000
<b>Classification</b>		
Acute Tox. 4 - H302 Acute Tox. 2 - H330 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400		

The Full Text for all Hazard Statements are Displayed in Section 16.

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

<b>General information</b>	Remove affected person from source of contamination.
<b>Inhalation</b>	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
<b>Ingestion</b>	DO NOT induce vomiting. Get medical attention immediately.
<b>Skin contact</b>	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if any discomfort continues.
<b>Eye contact</b>	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.

**4.2. Most important symptoms and effects, both acute and delayed**

<b>Inhalation</b>	No specific symptoms known.
<b>Ingestion</b>	May cause discomfort if swallowed.
<b>Skin contact</b>	Prolonged skin contact may cause redness and irritation.
<b>Eye contact</b>	No specific symptoms known.

**4.3. Indication of any immediate medical attention and special treatment needed**

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

<b>Suitable extinguishing media</b>	Extinguish with foam, carbon dioxide, dry powder or water fog.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

**5.2. Special hazards arising from the substance or mixture**

<b>Specific hazards</b>	Not known.
<b>Hazardous combustion products</b>	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon. Oxides of nitrogen.

**5.3. Advice for firefighters**

<b>Protective actions during firefighting</b>	Containers close to fire should be removed or cooled with water. Do not allow water to contact any leaked material.
<b>Special protective equipment for firefighters</b>	Wear chemical protective suit. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	Wear protective clothing as described in Section 8 of this safety data sheet.
-----------------------------	---

**6.2. Environmental precautions**

<b>Environmental precautions</b>	Do not discharge into drains or watercourses or onto the ground.
----------------------------------	--

**6.3. Methods and material for containment and cleaning up**

<b>Methods for cleaning up</b>	Absorb spillage with non-combustible, absorbent material. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Provide adequate ventilation. Contain spillage with sand, earth or other suitable non-combustible material. Avoid the spillage or runoff entering drains, sewers or watercourses.
--------------------------------	--

**6.4. Reference to other sections**

<b>Reference to other sections</b>	Wear protective clothing as described in Section 8 of this safety data sheet.
------------------------------------	---

**SECTION 7: Handling and storage**

**7.1. Precautions for safe handling**

**Usage precautions**                      No specific recommendations.

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage precautions**                      Store in closed original container at temperatures between 5°C and 25°C.

**Storage class**                              Unspecified storage.

**7.3. Specific end use(s)**

**Specific end use(s)**                      The identified uses for this product are detailed in Section 1.2.

**SECTION 8: Exposure Controls/personal protection**

**8.1. Control parameters**

**Occupational exposure limits**

**AMMONIA ...%**

Long-term exposure limit (8-hour TWA): WEL 25 ppm vapour

Short-term exposure limit (15-minute): WEL 35 ppm vapour

WEL = Workplace Exposure Limit

**Ingredient comments**                      WEL = Workplace Exposure Limits

**8.2. Exposure controls**

**Protective equipment**



**Appropriate engineering controls**

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

**Eye/face protection**

The following protection should be worn: Chemical splash goggles.

**Hand protection**

It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended.

**Other skin and body protection**

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact. Wear apron or protective clothing in case of contact.

**Hygiene measures**

Use engineering controls to reduce air contamination to permissible exposure level. Wash hands after handling. When using do not eat, drink or smoke.

**Respiratory protection**

Not relevant.

**Environmental exposure controls**

Keep container tightly sealed when not in use.

**SECTION 9: Physical and Chemical Properties**

**Exclusive British Isles Distributors for Carlisle-SynTec and ClassicBond EPDM single ply roofing materials.**

Flex-R, Sandwood House, Hillbottom Road, Sands Industrial Estate, High Wycombe, Buckinghamshire, HP12 4HJ. Tel: +44 (0)1494 448792 Fax: +44 (0)1494 858433

### **9.1. Information on basic physical and chemical properties**

<b>Appearance</b>	Coloured liquid.
<b>Colour</b>	White/off-white.
<b>Odour</b>	Characteristic.
<b>Odour threshold</b>	Not available.
<b>pH</b>	Not available.
<b>Melting point</b>	Not applicable.
<b>Initial boiling point and range</b>	Not applicable.
<b>Flash point</b>	Technically not feasible.
<b>Evaporation rate</b>	Not applicable.
<b>Evaporation factor</b>	Not available.
<b>Flammability (solid, gas)</b>	Not available.
<b>Other flammability</b>	Not available.
<b>Vapour pressure</b>	Not available.
<b>Vapour density</b>	Not available.
<b>Relative density</b>	1.15 @ 20°C
<b>Bulk density</b>	Not available.
<b>Solubility(ies)</b>	Soluble in water.
<b>Partition coefficient</b>	Not available.
<b>Decomposition Temperature</b>	Not available.
<b>Viscosity</b>	Kinematic viscosity > 20.5 mm <sup>2</sup> /s.
<b>Explosive properties</b>	Not available.
<b>Explosive under the influence of a flame</b>	Not considered to be explosive.
<b>Oxidising properties</b>	Not available.
<b>Comments</b>	Information given is applicable to the product as supplied.

### **9.2. Other information**

<b>Other information</b>	No information required.
<b>Refractive index</b>	Not available.
<b>Particle size</b>	Not available.
<b>Molecular weight</b>	Not available.
<b>Volatility</b>	Not available.
<b>Saturation concentration</b>	Not available.
<b>Critical temperature</b>	Not available.

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

**Reactivity** There are no known reactivity hazards associated with this product.

**10.2. Chemical stability**

**Stability** Stable at normal ambient temperatures and when used as recommended.

**10.3. Possibility of hazardous reactions**

**Possibility of hazardous reactions** Not applicable. Not relevant.

**10.4. Conditions to avoid**

**Conditions to avoid** Avoid freezing.

**10.5. Incompatible materials**

**10.6. Hazardous decomposition products**

**Hazardous decomposition products** Does not decompose when used and stored as recommended.

**SECTION 11: Toxicological information**

**11.1. Information on toxicological effects**

**Acute toxicity – inhalation**

ATE inhalation (vapours mg/l) 700.0

**Toxicological information on ingredients.**

**AMMONIA ...%**

**Acute toxicity - oral**

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 350.0

**Species** Rat

**ATE oral (mg/kg)** 350.0

**Acute toxicity - inhalation**

**Acute toxicity inhalation (LC<sub>50</sub> vapours mg/l)** 1.4

**Species** Rat

**ATE inhalation (vapours mg/l)** 1.4

**SECTION 12: Ecological Information**

**Exclusive British Isles Distributors for Carlisle-SynTec and ClassicBond EPDM single ply roofing materials.**

Flex-R, Sandwood House, Hillbottom Road, Sands Industrial Estate, High Wycombe,  
Buckinghamshire, HP12 4HJ. Tel: +44 (0)1494 448792 Fax: +44 (0)1494 858433

### **12.1. Toxicity**

#### **Ecological information on ingredients.**

#### **AMMONIA ...%**

#### **Acute aquatic toxicity**

LE(C)<sub>50</sub> 0.1 < L(E)C<sub>50</sub> ≤ 1

#### **reaction mass of: 5-chloro-2-methyl-4-iso-thiazolin-3-one and 2-methyl-2H-isothiazol-3-one**

**Acute aquatic toxicity** 350.0

LE(C)<sub>50</sub> 0.1 < L(E)C<sub>50</sub> ≤ 1

**M factor (Acute)** 1

#### **Chronic aquatic toxicity**

**M factor (Chronic)** 1

### **12.2. Persistence and degradability**

### **12.3. Bioaccumulative potential**

**Partition coefficient** Not available.

### **12.4. Mobility in soil**

### **12.5. Results of PBT and vPvB assessment**

### **12.6. Other adverse effects**

## **SECTION 13: Disposal considerations**

### **13.1. Waste treatment methods**

**General information** Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

## **SECTION 14: Transport information**

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### **14.1. UN number**

Not applicable.

### **14.2. UN proper shipping name**

Not applicable.

**14.3. Transport hazard class(es)**

No transport warning sign required.

**14.4. Packing group**

Not applicable.

**14.5. Environmental hazards**

Environmentally hazardous substance/marine pollutant

No.

**14.6. Special precautions for user**

Not applicable.

**14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code**

Not applicable.

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**National regulations**

Health and Safety at Work etc. Act 1974 (as amended).  
The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).  
Control of Substances Hazardous to Health Regulations 2002 (as amended).

**EU legislation**

Commission Directive 91/322/EEC of 29 May 1991 on establishing indicative limit values by implementing Council Directive 80/1107/EEC on the protection of workers from the risks related to exposure to chemical, physical and biological agents at work.  
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

**15.2. Chemical safety assessment**

No chemical safety assessment has been carried out.

**SECTION 16: Other information**

**Issued by**

Technical

**Revision date**

01/06/2017

**Hazard statements in full**

H225 Highly flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.  
H361f Suspected of damaging fertility.



Revision Date: 14/02/2018

H373 May cause damage to organs through prolonged or repeated exposure.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.

**Store Between**

Store Between 5°C - 25°C

**Contains SVHC**

NO

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.