

Revision Date: 08/02/2018

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Section 1: Identification of the Product and Company Identification

1.1. Product Identifier

Product Name: ClassicBond PRO Polyurethane (Pink PU) Deck Adhesive 5L
Product Code: 521100

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Adhesive. Product for professional use only
Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Suppliers: Flex-R
Sandwood House
Hillbottom Road
Sands Industrial Estate
High Wycombe
Buckinghamshire
HP12 4HJ
Tel: 01494 448792 Fax: 01494 858433 Email: enq@ClassicBond.co.uk

1.4. Emergency telephone number

Emergency telephone 01494 448792 (NOT 24HRS Monday-Thursday 08.30 – 17.30
Friday 08.30 – 16.30)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards Not Classified
Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Resp. Sens. 1 - H334 Skin Sens. 1 - H317
Carc. 2 - H351 STOT SE 3 - H335, H336 STOT RE 2 - H373
Environmental hazards Not Classified
Human Health The product contains small amounts of organic solvents. Contains non-volatile isocyanate. Heating may generate vapours which irritate the respiratory system. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

2.2. Label elements

Pictogram



Revision Date: 08/02/2018

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Signal word	Danger
Hazard statements	<p>H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H351 Suspected of causing cancer. H373 May cause damage to organs through prolonged or repeated exposure.</p>
Precautionary statements	<p>EUH204 Contains isocyanates. May produce an allergic reaction. P260 Do not breathe vapour/ spray. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P281 Use personal protective equipment as required. P284 [In case of inadequate ventilation] wear respiratory protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P313 Get medical advice/ attention. P501 Dispose of contents/ container in accordance with national regulations.</p>
Contains	DICHLOROMETHANE, DIPHENYLMETHANEDIISOCYANATE (MIXTURE OF ISOMERS AND HOMOLOGUES)

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

DIPHENYLMETHANEDIISOCYANATE (MIXTURE OF ISOMERS AND HOMOLOGUES)		10-30%
CAS number: 9016-87-9	EC number: -	REACH registration number: 01-2119457024-46-0006
Classification		
<p>Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Resp. Sens. 1 - H334 Skin Sens. 1 - H317 Carc. 2 - H351 STOT SE 3 - H335 STOT RE 2 - H373</p>		
DICHLOROMETHANE		10-30%
CAS number: 75-09-2	EC number: 200-838-9	REACH registration number: 01-2119480404-41-0000
Classification		
Acute Tox. 4 - H302		

Revision Date: 08/02/2018

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin Irrit. 2 - H315
Eye Irrit. 2 - H319
Carc. 2 - H351
STOT SE 3 - H336

The Full Text for all Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Remove affected person from source of contamination.
Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Ingestion	DO NOT induce vomiting. Get medical attention immediately.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if any discomfort continues.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Irritation of nose, throat and airway. Coughing, chest tightness, feeling of chest pressure.
Ingestion	May cause discomfort if swallowed.
Skin contact	Prolonged skin contact may cause redness and irritation.
Eye contact	Severe irritation, burning and tearing.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.
-----------------------------	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Extinguish with foam, carbon dioxide, dry powder or water fog.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	The product is non-combustible. Irritating gases or vapours. Not known.
-------------------------	---

Revision Date: 08/02/2018

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazardous combustion products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon. Oxides of nitrogen.

5.3. Advice for firefighters

Protective actions during firefighting

Containers close to fire should be removed or cooled with water. Do not allow water to contact any leaked material.

Special protective equipment for firefighters

Wear chemical protective suit. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions

Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

Absorb spillage with non-combustible, absorbent material. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely. Provide adequate ventilation. Contain spillage with sand, earth or other suitable non-combustible material. Avoid the spillage or runoff entering drains, sewers or watercourses.

6.4. Reference to other sections

Reference to other sections

Wear protective clothing as described in Section 8 of this safety data sheet.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Avoid inhalation of vapours and spray/mists. Avoid contact with skin and eyes. Do not use in confined spaces without adequate ventilation and/or respirator. Spraying is permitted only in closed systems, spray cabinets or spray boxes with adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Store in closed original container at temperatures between 5°C and 25°C.

Storage class

Chemical storage.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

Revision Date: 08/02/2018

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

DIPHENYLMETHANEDIISOCYANATE (MIXTURE OF ISOMERS AND HOMOLOGUES)

Long-term exposure limit (8-hour TWA): WEL 0.07 mg/m³

Short-term exposure limit (15-minute): WEL 0.02 mg/m³

DICHLOROMETHANE

Long-term exposure limit (8-hour TWA): WEL 100 ppm 350 mg/m³

Short-term exposure limit (15-minute): WEL 300 ppm 1060 mg/m³

Sk

Ingredient comments

WEL = Workplace Exposure Limit

Sk = Can be absorbed through the skin.

DICHLOROMETHANE (CAS: 75-09-2)

Ingredient comments

WEL = Workplace Exposure Limits

DNEL

Consumer - Dermal; Short term systemic effects: 353 mg/m³

Workers - Dermal; Short term systemic effects: 706 mg/m³

PNEC

- Fresh water; 0.54 mg/l

- Sediment (Freshwater); 4.47 mg/kg

- Intermittent release; 0.27 mg/l

- Sediment (Marinewater); 1.61 mg/kg

- Marine water; 0.194 mg/l

- STP; 26 mg/l

- Soil; 0.583 mg/kg

DIPHENYLMETHANEDIISOCYANATE (MIXTURE OF ISOMERS AND HOMOLOGUES) (CAS: 9016-87-9)

Ingredient comments

WEL = Workplace Exposure Limits

DNEL

Workers - Dermal; Short term systemic effects: 50 mg/kg

Workers - Inhalation; Short term systemic effects: 0.1 mg/m³

Workers - Dermal; Short term local effects: 28.7 mg/cm²

Workers - Inhalation; Short term local effects: 0.1 mg/m³

Workers - Inhalation; Long term systemic effects: 0.05 mg/m³

Workers - Inhalation; Long term local effects: 0.05 mg/m³

General population - Dermal; Short term systemic effects: 25 mg/kg

General population - Inhalation; Short term systemic effects: 0.05 mg/m³

General population - Oral; Short term systemic effects: 20 mg/kg

General population - Dermal; Short term local effects: 17.2 mg/cm²

General population - Inhalation; Short term local effects: 0.05 mg/m³

General population - Inhalation; Long term systemic effects: 0.025 mg/m³

General population - Inhalation; Long term local effects: 0.025 mg/m³

PNEC

- Fresh water; 1 mg/l

- Marine water; 0.1 mg/l

- Soil; 1 mg/kg dry weight

- STP; 1 mg/l

2,2'DIMORPHOLINYLDIETHYL ETHER (CAS: 6425-39-4)

Revision Date: 08/02/2018

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ingredient comments

WEL = Workplace Exposure Limits

DNEL

Workers - Inhalation; Long term systemic effects: 7.28 mg/m³
 Workers - Dermal; Long term systemic effects: 1 mg/kg bw/day
 Consumer - Inhalation; Long term systemic effects: 1.8 mg/m³
 Consumer - Dermal; Long term systemic effects: 0.5 mg/kg bw/day
 Consumer - Oral; Long term systemic effects: 0.5 mg/kg bw/day

PNEC

- Fresh water; 0.1 mg/l
 - Marine water; 0.01 mg/l
 - Intermittent release; 1 mg/l
 - Sediment (Freshwater); 8.2 mg/kg
 - Sediment (Marinewater); 0.82 mg/kg
 - STP; 100 mg/l
 - Soil; 1.58 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Wear chemical splash goggles.

Hand protection

It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended. For exposure up to 8 hours, wear gloves made of the following material: Nitrile rubber.

Other skin and body protection

Wear suitable protective clothing as protection against splashing or contamination. Wear apron or protective clothing in case of contact.

Hygiene measures

Use engineering controls to reduce air contamination to permissible exposure level. Wash hands after handling. When using do not eat, drink or smoke.

Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn. In confined or poorly ventilated spaces, a supplied-air respirator must be worn. Wear a respirator fitted with the following cartridge: Gas filter, type AX.

Environmental exposure controls

Keep container tightly sealed when not in use.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Coloured liquid
Colour	Pink
Odour	Chlorinated hydrocarbons.
Odour threshold	Not available.
pH	Not available.

Revision Date: 08/02/2018

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Melting point	Not available.
Initial boiling point and range	39-40°C @
Flash point	Not applicable.
Evaporation rate	Fast
Evaporation factor	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	Not applicable.
Other flammability	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	1.10 @ 20°C
Bulk density	Not available.
Solubility(ies)	Insoluble in water. Hardens in contact with water.
Partition coefficient	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	Kinematic viscosity > 20.5 mm ² /s.
Explosive properties	Not available.
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Not available.
Comments	Information given is applicable to the product as supplied.

9.2. Other information

Other information	No information required.
Refractive index	Not available.
Particle size	Not available.
Molecular weight	Not available.
Volatility	Not available.
Saturation concentration	Not available.
Critical temperature	Not available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	The product will harden into a solid mass in contact with water and moisture.
-------------------	---

10.2. Chemical stability

Revision Date: 08/02/2018

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Not applicable. May polymerise.

10.4. Conditions to avoid

Conditions to avoid Avoid contact with water.

10.5. Incompatible materials

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon. Oxides of nitrogen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information on ingredients.

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 10,000.0

Species Rat

ATE oral (mg/kg) 9,090.91

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 10,000.0

Species Rabbit

Acute toxicity - inhalation

Species Rat

ATE inhalation (vapours mg/l) 50.0

ATE inhalation (dusts/mists mg/l) 6.82

Skin corrosion/irritation

Animal data Irritating.

Serious eye damage/irritation

Serious eye damage/irritation Moderately irritating.

Respiratory sensitisation

Respiratory sensitisation Sensitising.

Carcinogenicity

Carcinogenicity Suspected carcinogen based on limited evidence.

Target organ for carcinogenicity No specific target organs known.

Revision Date: 08/02/2018
Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Reproductive toxicity

Reproductive toxicity - development This substance has no evidence of toxicity to reproduction.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Morphological changes that are potentially reversible but provide clear evidence of marked organ dysfunction.

Aspiration hazard

Aspiration hazard Not anticipated to present an aspiration hazard, based on chemical structure.

Inhalation Irritating to respiratory system. May cause sensitisation by inhalation.

Ingestion May cause stomach pain or vomiting.

Skin contact Irritating to skin. May cause sensitisation by skin contact.

Eye contact Irritation of eyes and mucous membranes.

Acute and chronic health hazards May cause sensitisation by skin contact. The product contains small quantities of isocyanate. May cause respiratory allergy. May cause respiratory system irritation. May cause respiratory system irritation. Frequent inhalation of vapours may cause respiratory allergy.

Route of entry Inhalation Skin and/or eye contact

Medical symptoms Irritation of eyes and mucous membranes. Coughing, chest tightness, feeling of chest pressure.

Medical considerations Chronic respiratory and obstructive airway diseases.

Toxicological information on ingredients.

DIPHENYLMETHANEDIISOCYANATE (MIXTURE OF ISOMERS AND HOMOLOGUES)

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 10,000.0

Species Rat

ATE oral (mg/kg) 10,000.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 9,400.0

Species Rabbit

ATE dermal (mg/kg) 9,400.0

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ vapours mg/l) 0.493

Species Rat

Acute toxicity inhalation (LC₅₀ dust/mist mg/l) 0.31

Species Rat

ATE inhalation (vapours mg/l) 11.0

Revision Date: 08/02/2018
 Safety Data Sheet
 according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ATE inhalation (dusts/mists mg/l)	1.5
<u>Skin corrosion/irritation</u>	
Animal data	Irritating.
<u>Serious eye damage/irritation</u>	
Serious eye damage/irritation	Moderately irritating.
<u>Respiratory sensitisation</u>	
Respiratory sensitisation	Sensitising.
<u>Carcinogenicity</u>	
Carcinogenicity	Suspected carcinogen based on limited evidence.
Target organ for carcinogenicity	No specific target organs known.
<u>Reproductive toxicity</u>	
Reproductive toxicity - development	This substance has no evidence of toxicity to reproduction.
<u>Specific target organ toxicity - repeated exposure</u>	
STOT - repeated exposure	Morphological changes that are potentially reversible but provide clear evidence of marked organ dysfunction.
<u>Aspiration hazard</u>	
Aspiration hazard	Not anticipated to present an aspiration hazard, based on chemical structure.
Inhalation	Irritating to respiratory system. May cause sensitisation by inhalation.
Ingestion	May cause stomach pain or vomiting.
Skin contact	Irritating to skin. May cause sensitisation by skin contact.
Eye contact	Irritation of eyes and mucous membranes.
Acute and chronic health hazards	May cause sensitisation by skin contact. The product contains small quantities of isocyanate. May cause respiratory allergy. May cause respiratory system irritation. May cause respiratory system irritation. Frequent inhalation of vapours may cause respiratory allergy.
Route of entry	Inhalation Skin and/or eye contact
Medical symptoms	Irritation of eyes and mucous membranes. Coughing, chest tightness, feeling of chest pressure.
Medical considerations	Chronic respiratory and obstructive airway diseases.
<u>DICHLOROMETHANE</u>	
<u>Acute toxicity - oral</u>	
Acute toxicity oral (LD₅₀ mg/kg)	2,000.0
Species	Rat
ATE oral (mg/kg)	2,000.0
<u>Acute toxicity - dermal</u>	

Revision Date: 08/02/2018

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute toxicity dermal (LD₅₀ mg/kg)	2,000.0
Species	Rat
<u>Acute toxicity - inhalation</u>	
Acute toxicity inhalation (LC₅₀ vapours mg/l)	86.0
Species	Rat
ATE inhalation (vapours mg/l)	86.0
<u>Skin corrosion/irritation</u>	
Skin corrosion/irritation	Irritating to skin. REACH dossier information.
<u>Serious eye damage/irritation</u>	
Serious eye damage/irritation	Causes eye irritation.
<u>Respiratory sensitisation</u>	
Respiratory sensitisation	Not sensitising.
<u>Carcinogenicity</u>	
IARC Carcinogenicity	IARC Group 2B Possibly carcinogenic to humans.
<u>Reproductive toxicity</u>	
Reproductive toxicity - fertility	No evidence of reproductive toxicity in animal studies.
Reproductive toxicity - development	No evidence of reproductive toxicity in animal studies.

2,2'DIMORPHOLINYLDIETHYL ETHER

<u>Acute toxicity - oral</u>	
Acute toxicity oral (LD₅₀ mg/kg)	2,025.0
Species	Rat
Notes (oral LD₅₀)	No information available.
<u>Acute toxicity - dermal</u>	
Acute toxicity dermal (LD₅₀ mg/kg)	3,038.0
Species	Rabbit
Notes (dermal LD₅₀)	No information available.
<u>Acute toxicity - inhalation</u>	
Notes (inhalation LC₅₀)	No information available.
<u>Skin corrosion/irritation</u>	
Skin corrosion/irritation	No information available.
<u>Serious eye damage/irritation</u>	

Revision Date: 08/02/2018
Safety Data Sheet
according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Serious eye damage/irritation Respiratory sensitisation	No information available.
Respiratory sensitisation	No information available.
Carcinogenicity	
IARC carcinogenicity	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
Inhalation	May be harmful if inhaled. Spray/mists may cause respiratory tract irritation.
Ingestion	May be harmful if swallowed.
Skin contact	May be absorbed through the skin. May be harmful in contact with skin. May cause skin irritation.
Eye contact	May cause eye irritation.

SECTION 12: Ecological Information

Ecological information on ingredients.

Ecotoxicity The product is not expected to be hazardous to the environment.

DIPHENYLMETHANEDIISOCYANATE (MIXTURE OF ISOMERS AND HOMOLOGUES)

Ecotoxicity The product is not expected to be hazardous to the environment.

12.1. Toxicity

Ecological information on ingredients.

Acute toxicity - fish	LC ₅₀ , 96 hours: > 1000 mg/l, Freshwater fish
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: >500 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: ~ 1640 mg/l, Scenedesmus subspicatus

Ecological information on ingredients.

DIPHENYLMETHANEDIISOCYANATE (MIXTURE OF ISOMERS AND HOMOLOGUES)

Acute toxicity - fish	LC ₅₀ , 96 hours: > 1000 mg/l, Freshwater fish
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: >500 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: ~ 1640 mg/l, Scenedesmus subspicatus
Acute toxicity - microorganisms	EC ₅₀ , 3 hours: 100 mg/l, Activated sludge
Chronic toxicity – aquatic invertebrates	NOEC, 21 days: 10 mg/l, Daphnia magna

DICHLOROMETHANE

Acute toxicity - fish	LC ₅₀ , 96 hours: 193 mg/l, Pimephales promelas (Fat-head Minnow)
	LC ₅₀ , 48 hours: 97 mg/l, Fundulus heteroclitus
Acute toxicity - aquatic	EC ₅₀ , 48 hours: 27 mg/l, Daphnia magna

Revision Date: 08/02/2018

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

invertebrates	LC ₅₀ , 48 hours: 109 mg/l, Palaemonetes pugio
Acute toxicity - aquatic plants	NOEC, 192 hours: 550 mg/l, Microcystis aeruginosa - Algae, blue, cyanobacteria
Acute toxicity - microorganisms	EC ₅₀ , 0.67 hours: 2590 mg/l, Bacteria
Chronic toxicity - fish early life stage	NOEC, 28 days: 83 mg/l, Pimephales promelas (Fat-head Minnow)

2,2'DIMORPHOLINYLDIETHYL ETHER

Acute toxicity - fish	LC ₅₀ , 96 hours: 2150 mg/l,
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: >100 mg/l, Daphnia magna
Acute toxicity - microorganisms	EC ₅₀ , 3 hours: >1000 mg/l, Bacteria

12.2. Persistence and degradability

Persistence and degradability	The product is not readily biodegradable.
Stability (hydrolysis)	Reacts with water.
Biological oxygen demand	< 10 g O ₂ /g substance

Ecological information on ingredients.

DIPHENYLMETHANEDIISOCYANATE (MIXTURE OF ISOMERS AND HOMOLOGUES)

Persistence and degradability	The product is not readily biodegradable.
Stability (hydrolysis)	Reacts with water.
Biological oxygen demand	< 10 g O ₂ /g substance

12.3. Bioaccumulative potential

Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.
Partition coefficient	Not available.

Ecological information on ingredients.

DIPHENYLMETHANEDIISOCYANATE (MIXTURE OF ISOMERS AND HOMOLOGUES)

Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.
Partition coefficient	Not available.

DICHLOROMETHANE

Bioaccumulative potential	The product is not bioaccumulating.
Partition coefficient	Not available.

12.4. Mobility in soil

Revision Date: 08/02/2018

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Mobility The product is non-volatile.

Ecological information on ingredients.

DIPHENYLMETHANEDIISOCYANATE (MIXTURE OF ISOMERS AND HOMOLOGUES)

Mobility The product is non-volatile.

DICHLOROMETHANE

Mobility The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

DIPHENYLMETHANEDIISOCYANATE (MIXTURE OF ISOMERS AND HOMOLOGUES)

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

DICHLOROMETHANE

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Ecological information on ingredients.

DICHLOROMETHANE

Other adverse effects Not applicable.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 2810

Revision Date: 08/02/2018

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

UN No. (IMDG)	2810
UN No. (ICAO)	2810
UN No. (ADN)	2810

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	TOXIC LIQUID, ORGANIC, N.O.S.
Proper shipping name (IMDG)	TOXIC LIQUID, ORGANIC, N.O.S.
Proper shipping name (ICAO)	TOXIC LIQUID, ORGANIC, N.O.S.
Proper shipping name (ADN)	TOXIC LIQUID, ORGANIC, N.O.S.

14.3. Transport hazard class(es)

ADR/RID class	6.1
ADR/RID classification code	T1
ADR/RID label	6.1
IMDG class	6.1
ICAO class/division	6.1
ADN class	6.1

Transport labels



14.4. Packing group

Packing group (ADR/RID)	III
Packing group (IMDG)	III
Packing group (IATA)	III
Packing group (ICAO)	III

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No

14.6. Special precautions for user

EmS	F-A, S-A
ADR transport category	2
Hazard Identification Number (ADR/RID)	60

Revision Date: 08/02/2018

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Tunnel restriction code (E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Health and Safety at Work etc. Act 1974 (as amended).
The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).
The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
Control of Substances Hazardous to Health Regulations 2002 (as amended).

EU legislation Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by Technical

Revision date 02/08/2018

Hazard statements in full H302 Harmful if swallowed.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.
H336 May cause drowsiness or dizziness.
H351 Suspected of causing cancer.
H373 May cause damage to organs through prolonged or repeated exposure.

Store Between Store Between 5°C - 25°C

Contains SVHC NO

The information contained herein is based upon data and information available to us, and reflects our best professional judgment. This product may be formulated in part with components purchased from other companies. In many instances, especially when proprietary or trade secret materials are used, The Company must rely upon the hazard evaluation of such components submitted by that product's manufacturer or importer. No warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of such data or information. The results to be obtained from the use thereof, or that any such use does not infringe any patent, since the information contained herein may be applied under conditions of use beyond our control and with which we may be unfamiliar, we do not assume responsibility for the results of such application. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular use