


## What makes ClassicBond EPDM the right choice for you? ▲

Ideal for virtually any residential, commercial or industrial flat roofing project and contractor, ClassicBond & ClassicBond PRO EPDM singleply membranes feature a strong thick flat roofing membrane.

These flexible synthetic rubber membranes offer easy installation, requiring no special tools or installation equipment, with exceptional weather resistance, providing the contractor and building owner with an unmatched, superior flat roof system.



Having unmatched resistance to all extremes of weather, tests proved that roofs were performing like new after three decades of exposure. It also comes in a large choice of roll widths to suit any flat roofing project ideally fitted without any seams.



Comes in a single easier to handle width, with a polyester fleece laminated to the underside making it a stronger and thicker membrane, with the addition of Pre-Applied Seam Tape (PST) for easy jointing and application.

# SureEdge Trims

## Finishing off flat roofing projects

### Quality

- High quality co-extruded PVC-u
- Pliable and shatterproof
- Solid trim design - no end caps needed

### Speed

- Pre-drilled for easy install
- Pre-applied water seals - ready out of the box
- Built-in water check kerb
- Secure mechanical fix gutter system

### Appearance

- Choice of black or white finish
- Internal, external corners & joiners for gutter and kerb trim
- Superior finish and appearance

**THE EDGE OF YOUR ROOF IS THE ONLY PART SEEN FROM THE GROUND. MAKE IT THE BEST WITH SUREEDGE.**


---




**[WWW.CLASSICBOND.CO.UK](http://WWW.CLASSICBOND.CO.UK)**

---

For more information.





# THE EASY TO INSTALL EPDM ROOF SYSTEMS

Durable

Puncture resistance

Long-term performance

50 Year proven life expectancy





Manufactured by the worlds leading EPDM manufacturer, ClassicBond roof systems offer economical, easy installation and is BBA & CE approved, as well as holding the highest European fire ratings, making it the perfect choice for both refurbishments and new build projects. ▲

## KEY FEATURES

---



### Choice

Variety of widths & thicknesses



### Safe

Heat & flame free installation



### Flexible

Resists extreme temperature, UV & ageing



### Durable

Will not tear, split or crack



### Convenient

Maintenance free & environmentally friendly




### Quick

Easy to install



### Peace of Mind

20 Year membrane warranty





**All ClassicBond PRO EPDM membranes have a polyester fleece laminated to the underside of roofing membrane and a Pre-applied Seam Tape (PST) - a seaming system that is installed with no heat welders, flames or specialist tools. The simplicity and speed of this seam makes it a contractor favourite.** ▲

## KEY FEATURES



### Easy to handle

Membrane size is 1.52m x 12.2m (18.54m<sup>2</sup>)



### Durable

Fleece reinforced for added toughness



### Weight

75% less than a bitumen felt systems



### Tough

Will not tear, split or crack



### Quick

Pre-applied Seam Tape for fast, reliable seams



### Weather Resistant

Not affected by extremes of temperature



### No Shrinkage

A quality that standard EPDM can't offer



### Flexible

Over 300% flexibility to easily accommodate building movement